

**RDW** 





## THE NETHERLANDS

(NEDERLAND)





## **COMMUNICATION**

Concerning:

APPROVAL GRANTED

**APPROVAL EXTENDED APPROVAL REFUSED APPROVAL WITHDRAWN** 

PRODUCTION DEFINITELY DISCONTINUED

of a type of LPG equipment pursuant to Regulation No. 67

Approval No.: E4-67R-010181

**Extension No.: 00** 

## 1. LPG equipment considered:

Container including the configuration of accessories fitted to the container, as laid down in appendix 1 to this annex

- -80 per cent stop valve
- -Level indicator
- -Pressure relief valve (discharge valve)
- Pressure relief device
- -Remotely controlled service valve with excess flow
- -Multivalve, including the following accessories: .....
- -Gas-tight housing
- -Power supply bushing (pump/actuators)
- -Fuel pump
- -Vaporiser / pressure regulator
- -Shut-off valve
- -Non-return valve
- -Gas-tube pressure relief valve
- -Service couplings
- -Flexible hose
- -Remote filling unit
- -Gas injection device or injector
- -Fuel rail
- -Gas dosage unit
- -Gas mixing piece
- -Electronic control unit
- -Pressure / temperature sensor
- -LPG filter unit



## Approval No.: E4-67R-010181

Extension: 00

2. Trade name or mark : Type 97 (IMEGA)

3. Manufacturer's name and address : Valtek S.p.A.

Via Salvo d'Acquisto 4/B 42020, Reggio Emilia

Italy

4. If applicable, name of the manufacturer's representative

5. Submitted for approval on

May 2007

6. Technical service responsible **GASTEC Certification BV** 

for conducting approval tests

P.O.Box 137

7300 AC Apeldoorn The Netherlands

7. Date of report issued by that service May 2007

8. No. of report issued by that service 123775

9. Approval granted/refused/extended/withdrawn/

10. Reason(s) of extension (if applicable)

11. Place Zoetermeer

12. Date 2 3 JULI 2007

13. Signature

14. The documents filed with the application or extension of

obtained upon request.

Documentation: 1 sheets and 1 drawing(s)



Type break down (including specifications):

Filter type 97 for LPG and CNG applications

I PG:

class 2

Max. working pressure CNG:

0,45MPa

Temperature range:

-20°C to 120°C

Brand name
VALTEK
IMEGA
IMEGA



